

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 5/3/2024 Revision date: 2/27/2026 Supersedes: 5/3/2024 Version: 1.1

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : EZ-Guard Disinfecting Spray

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Disinfectant
Restrictions on use : All other uses not recommended above

1.4. Supplier's details

Best Sanitizers Inc
PO Box 1360
Penn Valley, California 95946
T 888-225-3267
sales@bestsanitizers.com

1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)
CCN 2655
Back-up Emergency Number: +1 703-741-5970 (Washington, DC)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquid, Category 2	H225	Highly flammable liquid and vapor.
Serious eye damage/eye irritation, Category 2A	H319	Causes serious eye irritation.
Full text of H statements : see section 16		

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
Keep container tightly closed.
Ground/Bond container and receiving equipment.
Use explosion-proof equipment.
Wash hands, forearms and face thoroughly after handling.
Wear protective gloves, protective clothing, eye protection, face protection, and hearing

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

In case of fire: Use appropriate media to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Ethanol	CAS-No.: 64-17-5	72.5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Didecyl dimethyl ammonium chloride	CAS-No.: 7173-51-5	0.33	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Aquatic Acute 1, H400

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but, not mouth-to-mouth.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin areas with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Drink plenty of water. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you feel unwell.

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause shortness of breath, tightness of the chest, a sore throat and cough. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking. Slight irritation.
Symptoms/effects after eye contact	: Stinging, redness, itching, tears, blurred vision, swelling.
Symptoms/effects after ingestion	: Burning sensation. May cause irritation to the digestive tract.
Most Important Symptoms/Effects	: Irritation to eyes, skin and respiratory tract. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry chemical, CO2, dry sand, or alcohol-resistant foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: Flammable liquid and vapor. The vapors are denser than air and may travel along the ground. Distance ignition possible.
Explosion hazard	: Vapors in confined areas may explode when exposed to fire.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Evacuate area. Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection. Eliminate all ignition sources if safe to do so.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment	: Wear the recommended personal protective equipment.
Emergency procedures	: Evacuate the danger area. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Avoid contact with skin and eyes. Prevent other non-emergency personnel from entering the danger area.

For emergency responders

Protective equipment	: Wear the recommended personal protective equipment.
Emergency procedures	: Evacuate personnel to a safe area. Ventilate spillage area.

Environmental precautions	: Do not let the product reach soil, drains, sewers, or surface and ground water.
---------------------------	---

6.2. Methods and materials for containment and cleaning up

For containment	: Contain with non-combustible inert absorbent.
Methods for cleaning up	: Take up liquid spill into absorbent material. Contaminated absorbent material may pose the same hazard as the spilt product. Decontaminate surfaces and equipment with water and detergent. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product.

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Use only in well-ventilated areas. Wear personal protective equipment when handling bulk product. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Use explosion-proof equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling bulk product.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Incompatible materials : Strong oxidizing agents.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)

USA - ACGIH® - Threshold Limit Values

Local name	Ethanol
ACGIH® TLV® STEL	1880 mg/m ³
	1000 ppm
Remark (ACGIH®)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025

USA - OSHA - Occupational Exposure Limits

Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA	1900 mg/m ³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

USA - NIOSH - Occupational Exposure Limits

Local name	Ethyl alcohol (Ethanol)
NIOSH REL 10h TWA	1000 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

8.2. Appropriate engineering controls

Appropriate engineering controls : Use general ventilation, local exhaust ventilation, or process enclosure to keep the airborne concentrations below the permissible exposure limits.

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Environmental exposure controls : Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment.

Hand protection:

Hand protection should be chosen depending on activity. Professional use: Rubber protective gloves with a permeation time of 480 minutes for each ingredient of this mixture. Consumer use: No special protection required

Eye protection:

Safety glasses

Skin and body protection:

Body protection should be chosen depending on activity and possible exposure. Chemical resistant apron. Antistatic clothing

Respiratory protection:

Use NIOSH approved respirator if ventilation is inadequate. SCBA for emergency responders. Must be used in accordance with an OSHA compliant respiratory protection program.

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Color	: Colorless
Odor	: Alcohol.
Odor threshold	: No data available
pH	: 3.7 (77 °F)
Melting point	: No data available
Freezing point	: No data available
Boiling point	: (172.4 °F) (Ethanol)
Flash point	: 65.3 °F
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.87
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 3.23 cSt @ 68 °F
Explosion limits	: Lower explosion limit: 3.3 Vol-% Upper explosion limit: 19 Vol-%
Particle characteristics	: No data available

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Didecyl dimethyl ammonium chloride (7173-51-5)

Boiling point	180 °C
Vapor pressure	0.00000011 hPa

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Flammable liquid and vapor.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Incompatible materials.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethanol

LD50 oral rat	7060 mg/kg body weight
LD50 oral	6200 mg/kg
LD50 dermal rabbit	> 18000 mg/kg body weight
LD50 dermal	20000 mg/kg
LC50 Inhalation - Rat	124.7 mg/l/4h

Didecyl dimethyl ammonium chloride (7173-51-5)

LD50 oral rat	84 mg/kg
LD50 oral	170.3 mg/kg
LD50 dermal rat	> 1000 mg/kg body weight

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Didecyl dimethyl ammonium chloride (7173-51-5)	
LD50 dermal rabbit	≈ 3342 mg/kg body weight
LD50 dermal	2344 mg/kg
LC50 Inhalation - Rat (Vapors)	0.07 mg/l/4h
ATE US (oral)	84 mg/kg body weight
ATE US (dermal)	2344 mg/kg body weight
ATE US (vapors)	0.07 mg/l/4h

Skin corrosion/irritation : Not classified
pH: 3.7 (77 °F)

Ethanol	
Skin corrosion/irritation, rabbit	Not irritating to rabbits on cutaneous application

Didecyl dimethyl ammonium chloride (7173-51-5)	
pH	6.8

Serious eye damage/irritation : Causes serious eye irritation.
pH: 3.7 (77 °F)

Ethanol	
Serious eye damage/irritation, rabbit	Moderately irritating

Didecyl dimethyl ammonium chloride (7173-51-5)	
pH	6.8

Respiratory or skin sensitization : Not classified

Ethanol	
Skin sensitization, mouse	Not sensitive

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Ethanol	
IARC group	1 - Carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Ethanol	
NOAEL (subchronic,oral,animal/male,90 days)	< 9700 mg/kg body weight
NOAEL (subchronic,oral,animal/female,90 days)	> 9400 mg/kg body weight

Didecyl dimethyl ammonium chloride (7173-51-5)	
NOAEL (oral,rat,90 days)	61 mg/kg bw/day

Aspiration hazard : Not classified

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Didecyl dimethyl ammonium chloride (7173-51-5)

Viscosity, kinematic	≈ 24.5 mm²/s
Symptoms/effects after inhalation	: May cause shortness of breath, tightness of the chest, a sore throat and cough. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking. Slight irritation.
Symptoms/effects after eye contact	: Stinging, redness, itching, tears, blurred vision, swelling.
Symptoms/effects after ingestion	: Burning sensation. May cause irritation to the digestive tract.
Most Important Symptoms/Effects	: Irritation to eyes, skin and respiratory tract. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Ethanol

LC50 - Fish [1]	11200 mg/l
EC50 - Crustacea [1]	5463 mg/l
ErC50 algae	1000 mg/l
NOEC (chronic)	9.6 mg/l
NOEC chronic crustacea	9.6 mg/l

Didecyl dimethyl ammonium chloride (7173-51-5)

LC50 - Fish [1]	≈ 0.97 mg/l
EC50 - Crustacea [1]	≈ 0.057 mg/l
LC50 - Fish [2]	≈ 0.49 mg/l
EC50 - Crustacea [2]	≈ 0.029 mg/l
EC50 72h - Algae [1]	≈ 0.062 mg/l
ErC50 algae	0.66 mg/l
LOEC (chronic)	≈ 0.047 mg/l
NOEC (chronic)	≈ 0.021 mg/l
NOEC chronic crustacea	0.021 mg/l

12.2. Persistence and degradability

EZ-Guard Disinfecting Spray

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Ethanol

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Didecyl dimethyl ammonium chloride (7173-51-5)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

Didecyl dimethyl ammonium chloride (7173-51-5)

Partition coefficient n-octanol/water (Log Pow)	2.58
---	------

12.4. Mobility in soil

Didecyl dimethyl ammonium chloride (7173-51-5)

Mobility in soil	667 – 24433
------------------	-------------

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

SECTION 13 Disposal considerations

Regional waste regulation	: Disposal must be done according to official regulations. U.S. - RCRA (Resource Conservation Recovery Act) - D Waste- Characteristic Waste Codes. D001: IGNITABLE WASTE.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of this material and its container at hazardous or special waste collection point. Refer to all applicable national, international and local regulations or provisions.
Additional information	: Flammable vapors may accumulate in the container.
Ecological waste information	: Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
UN1170	1170	1170
14.2. Proper Shipping Name		
Ethanol solutions	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	Ethanol solution
14.3. Transport hazard class(es)		
3 (LTD QTY)	3	3
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
	Dangerous for the environment: No Marine pollutant: No	
No supplementary information available		

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT	
UN-No. (DOT)	: UN1170
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

IMDG	
Special provision (IMDG)	: 144, 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Colorless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.

IATA	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
ERG code (IATA)	: 3L

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

FIFRA Labelling

EPA Registration Number	88494-3-73232
-------------------------	---------------

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

FIFRA Labelling
This chemical is a pesticide product registered by the U.S. Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the pesticide label.

15.2. International regulations

CANADA

Ethanol (64-17-5)
Listed on the Canadian DSL (Domestic Substances List)

Didecyl dimethyl ammonium chloride (7173-51-5)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Ethanol (64-17-5)
Listed on IARC (International Agency for Research on Cancer)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Didecyl dimethyl ammonium chloride (7173-51-5)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Ethanol(64-17-5)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 2/27/2026
Issue date : 5/3/2024

Full text of hazard classes and H-statements	
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H400	Very toxic to aquatic life

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organization for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstracts Service number
N.O.S.	Not Otherwise Specified

EZ-Guard Disinfecting Spray

Safety Data Sheet

According to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Abbreviations and acronyms	
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Indication of changes:		
Section	Changed item	Comments
15	EPA Registration Number	Added

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.